

Рефрижераторный контейнер KOALA 160

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mho@nt-rt.ru || сайт: <https://melform.nt-rt.ru/>

Refrigerated container KOALA 160

20/01/2025 - Rev.1



Refrigerated container for the transport of temperature-controlled products







- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 84181080
- Compatible with food contact
- Color: grey/blue
- Dual power supply: 12Vdc and 230Vac
- Technology: rotomoulding
- Warranty: 24 months
- Fully recyclable at the end of its operational life.

MANUFACTURING MATERIALS

| | | | |
|------------------------|---|---------------------------------|---|
| Polyethylene | inner and outer walls of the container and lid; suitable for food contact | Polyurethane | insulating material between the walls of the container and the lid, CFC and HCFC free |
| Silicone rubber | gasket | Polyamide and fiberglass | closures |
| Aluminium | crankcase control panel | Stainless steel | gripping handles |

| Model | Product code | EAN code | Ext. dim. (mm) | Int. dim (mm) | Capacity (liters) | Weight (kg) |
|--|--------------|---------------|----------------|---------------|-------------------|-------------|
| Integrated cooling unit, static | K160ASISDYM0 | 8022949177546 | 790x1100xh650 | 540x660xh450 | 162 | 59 |
| | K160ASISBYM0 | 8022949177935 | | | | |
| | K160ASISDZM0 | 8022949177706 | | | | |
| | K160ASISBZM0 | 8022949177386 | | | | |

FEATURES COOLING UNIT

| | | | |
|--|---|--|---|
|  | <p>The ventilation system ensures greater speed and uniformity of diffusion of cold and heat inside the container</p> |  | <p>Hermetic compressor with electronic control unit for regulation and control equipped with surge protection</p> |
|  | <p>Guaranteed refrigeration unit performance for ambient T-use: +10°C to +30°C Container (isothermal case) guaranteed for use: -30°C to +100°C</p> |  | <p>Cables 230Vac 50-60Hz power supply <u>(standard equipment)</u></p> |
|  | <p>Cables for 12Vdc power supply with Anderson terminals <u>(standard equipment)</u></p> |  | <p>Cables for 12Vdc power supply with Anderson terminal on the KOALA side and cigarette lighter plug <u>(standard equipment)</u></p> |
| <p>Degree of accuracy: +/-0.5 °C Refrigerant gas: R134a</p> | | | |

PRODUCT FEATURES

| | | | |
|---|--|--|---|
|  | <p>Easily removable lid sealing gasket</p> |  | <p>Integrated stainless steel gripping handles</p> |
|  | <p>Zipper integrated in the container</p> |  | <p>Melform closing hooks in shockproof material</p> |
|  | <p>Evaporator protection grid made of plasticized wire</p> |  | <p>Monobloc structure, without edges, joints and welds</p> |
|  | <p>Wheel kit available on request (n.2 fixed wheels and n.2 swivel wheels with brake d.125mm; rubber tread, polyamide core, galvanized steel support).</p> |  | <p>Insulation with CFC- and HCFC-free polyurethane foam</p> |
|  | <p>USB datalogger available (on request) to record temperature data during transport</p> |  | <p>RFID systems for traceability</p> |

| Model | Product code | Absorption nominal | Fuses |
|------------------------------------|--------------|---|--|
| Koala 160 0°C to +10°C | K160ASISDYM0 | 0.62A at 230Vac 12A at 12Vdc (150 W) | 4A for 230Vac 25A for 12Vdc |
| Koala 160 -25°C to +10°C | K160ASISBYM0 | 0.62A at 230Vac 12A at 12Vdc (150 W) | 4A for 230Vac 25A for 12Vdc |
| Koala 160 0°C to +40°C | K160ASISDZM0 | 0.62A at 230Vac 12A at 12Vdc (150 W) | 4A for 230Vac 25A for 12Vdc |
| Koala 160 -25°C to +40°C | K160ASISBZM0 | 0.62A at 230Vac 12A at 12Vdc (150 W) | 4A for 230Vac 25A for 12Vdc |

| FIXINGS | Amperage | Weight (Kg) | Dim. (mm) | Code |
|--------------------------------------|----------|-------------|--------------|-----------|
| Castors kit | | | | RRI070 |
| Floor/vehicle fixing kit | | | | RRI214 |
| Card holder | | 0,05 | A5 | RRI141 |
| Power bank charger 12V for KOALA | 100 Ah | 22 | 345x315xh340 | ePB100A01 |
| Power bank charger 12V for KOALA | 120 Ah | 26 | 345x315xh340 | ePB120A01 |
| Power bank charger 12V for KOALA | 150 Ah | 28 | 345x315xh340 | ePB150A01 |
| USB Data Logger Range -30°C +70°C | | | | AFG007 |

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mxo@nt-rt.ru || сайт: <https://melform.nt-rt.ru/>