

Рефрижераторный контейнер KOALA 495

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mho@nt-rt.ru || сайт: <https://melform.nt-rt.ru/>

Refrigerated container KOALA 495

20/01//2025 - Rev.2



ATP

600x400



Refrigerated container for the transport of products at temperature-controlled


- Brand: MELFORM
- Country of origin: ITALY
- Customs code: 84181080
- ATP Certificate
- Compatible with food contact
- Color: grey/blue
- Available in version basic, on wheels, feet
- Dual power supply: 12Vdc and 230Vac
- Technology: rotomoulding
- Warranty: 24 months
- Fully recyclable at the end of its operational life.

MANUFACTURING MATERIALS




| | | | |
|-------------------------|--|-----------------------------|---|
| Polyethylene | internal and external walls of the container and door; suitable for food contact | Polyurethane | insulating material between the walls of the container and the door, free of CFC and HCFC |
| Silicone rubber | gasket | Rubber and polyamide | wheels (rubber tread and polyamide core) |
| Galvanized steel | crankcase, wheel support | Stainless steel | handling handles, closing handle, rod inside the door |

| Model | Product code | EAN code | Ext. dim. (mm) | Int. dim. (mm) | Capac. (L) | Wt (Kg) |
|--|--------------|---------------|----------------|----------------|------------|---------|
| Integrated cooling unit, static 0°C /+10°C basic | K495AFISDYM0 | 8022949210014 | 855x1285xh1195 | 625x850xh950 | 520 | 119 |
| Integrated cooling unit, static 0°C /+40°C basic | K495AFISDZM0 | 8022949197360 | 855x1285xh1195 | 625x850xh950 | 520 | 119 |
| Integrated cooling unit, ventilated -25°C /+10°C basic | K495AFIVBYM0 | 8022949209995 | 855x1285xh1195 | 625x850xh805 | 430 | 129 |
| Integrated cooling unit, ventilated -25°C /+40°C basic | K495AFIVBZM0 | 8022949210007 | 855x1285xh1195 | 625x850xh805 | 430 | 129 |
| Integrated cooling unit, static 0°C /+10°C on wheels | K495AFISDYM1 | 8022949208806 | 855x1285xh1360 | 625x850xh950 | 520 | 125 |
| Integrated cooling unit, static 0°C /+40°C on wheels | K495AFISDZM1 | 8022949208592 | 855x1285xh1360 | 625x850xh950 | 520 | 125 |
| Integrated cooling unit, ventilated -25°C /+10°C on wheels | K495AFIVBYM1 | 8022949208790 | 855x1285xh1360 | 625x850xh805 | 445 | 135 |
| Integrated cooling unit, ventilated -25°C/+40°C on wheels | K495AFIVBZM1 | 8022949207205 | 855x1285xh1360 | 625x850xh805 | 445 | 135 |



DIMENSIONAL DIAGRAM (mm)










Koala 495 static



Koala 495 ventilated



FEATURES REFRIGERATION UNIT

| | | | |
|---|---|--|---|
|  | Static cooling unit version for greater temperature uniformity inside the container |  | Ventilated cooling unit version to ensure a greater speed of reaching the temperature inside the container |
|  | Hermetic compressor with electronic control unit for regulation and control equipped with surge protection |  | Guaranteed refrigeration unit performance for ambient T-use: +10°C to +30°C Container (isothermal body) guaranteed for use: -30° C to +100°C |
|  | 230Vac 50-60Hz cables power supply (standard equipment) |  | Cables for 12Vdc power supply with Anderson terminals (standard equipment) |
|  | Cables for 12Vdc power supply with Anderson terminal on the KOALA side and fork terminal for connection to the vehicle battery (standard equipment) | | |






Degree of accuracy: **+/-0.5 °C**

Refrigerant gas: **R134a (versions 0°C +10/+40°C);**

R452a (versions -25°C +10/+40°C);

Overall heat transfer coefficient: **K=0.35 W/m²K**

PRODUCT FEATURES

| | | | |
|---|---|--|---|
|  | Stainless steel closing handle with release button; Prepared for the use of tamper-evident system |  | Stainless steel rod with 2 hooks integrated in the door |
|  | Temperature regulation and control with programmable digital thermostat |  | USB datalogger available (on request) to record temperature data during transport |
|  | RFID systems for traceability | | |

| Model | Product code | Absorption nominal | Fuses | |
|---|------------------------------|--|--------------------------------|-----------|
| Koala 495 Integrated cooling unit, static 0°C to +10°C | K495AFISDYM0 K495AFISDYM1 | 0.62A at 230Vac 12A to 12Vdc (150 W) | 4A for 230Vac 25A for 12Vdc | |
| Koala 495 Integrated cooling unit, ventilated -25°C to 10°C | K495AFIVBYM0 K495AFIVBYM1 | 1A at 230Vac 25A at 12Vdc (300 W) | 4A for 230Vac 30A for 12Vdc | |
| Koala 495 Integrated cooling unit, static 0°C to +40°C | K495AFISDZM0 K495AFISDZM1 | 0.62A at 230Vac 12A to 12Vdc (150 W) | 4A for 230Vac 25A for 12Vdc | |
| Koala 495 Integrated cooling unit, ventilated -25°C to +40°C | K495AFIVBZM0 K495AFIVBZM1 | 1A at 230Vac 25A at 12Vdc (300 W) | 4A for 230Vac 30A for 12Vdc | |
| ACCESSORIES | Amperage | Weight (Kg) | Dim. (mm) | Code |
| Floor/vehicle fixing kit (for Basic version) | | | | RRI223 |
| Stainless Steel Grid | | 4,7 | 643x835xh16 | AEA046 |
| Card holder | | 0,05 | A5 | RRI141 |
| Power bank charger 12V for KOALA | 100 Ah | 22 | 345x315xh340 | ePB100A01 |
| Power bank charger 12V for KOALA | 120 Ah | 26 | 345x315xh340 | ePB120A01 |
| Power bank charger 12V for KOALA | 150 Ah | 28 | 345x315xh340 | ePB150A01 |
| USB Data Logger Range -30°C +70°C | | | | AFG007 |

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mxo@nt-rt.ru || сайт: <https://melform.nt-rt.ru/>