

Изотермический поддон TS60

Технические характеристики

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижегород (831)429-08-12
Новокузнецк (3843)20-46-81
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mho@nt-rt.ru || сайт: <https://melform.nt-rt.ru/>

ISOTHERMAL TRAY TS60



EN














Isothermal tray for ceramic dishes

- Equipped with four compartments to house ceramic dishes and a dedicated seat to house complementary items (cutlery, beverages, bread, fruit etc.).
- It allows to carry four courses at different temperatures (hot and chilled), thanks to the limited heat exchange between tray compartments.
- **EURONORM external dimensions, adaptable to all standard trolleys.**
- It assures proper temperature retention, limiting the risk of bacterial proliferation whilst preserving food quality and organoleptic characteristics.
- **High thermal insulation coefficient, it can keep hot or cold portioned food up to 30 minutes.**
- The isothermal characteristics comply with current regulations (EC Reg. 852/2004 – HACCP-) and with applicable technical standards (EN 12571 and Accord AFNOR AC D40-007).
- It can be loaded both on a preparation conveyor or on a fixed shelf.
- Produced with blow moulding technology: the base and the lid have a monolithic structure (no sharp corners, junctions and welds).
- **It can be washed and sanitized in an industrial dishwasher.**
- **Fully recyclable** at the end of the operating life.

MANUFACTURING MATERIALS

Polypropylene	inner and outer walls of the base and of the lid; food contact safe	Polyurethane	insulating material between the walls of the base and of the lid free of CFC and HCFC
----------------------	---	---------------------	---

CHARACTERISTICS

	<p>Equipped with:</p> <ul style="list-style-type: none"> • 3 compartments (A) for dishes/bowls (dia. 210 mm) • 1 compartment (B) for dish (dia. 260 mm) • 1 compartment (C) for complementary items 		<p>The tray compartments are thermally insulated. This allows to carry 4 courses at differentiated temperature, without risk of thermal pollution.</p>
	<p>Base and cover perfectly super-imposable, providing excellent temperature retention.</p>		<p>Easy to use: The base can be used as a support for the consumption of the meal.</p>
	<p>The isothermal tray ensures temperature retention even when the user is not present when the meal is distributed.</p>		<p>Dishwasher safe.</p>
	<p>It can be loaded both on a preparation conveyor or on a fixed shelf.</p>		<p>Easily stackable, to optimize the storage surface.</p>
	<p>Pair of stainless steel latches, available on request.</p>		<p>Available, on request, a convenient closure with handle that enables to carry the tray with a single hand.</p>
	<p>Trolley in stainless steel at 12 or 24 seats, available on request.</p>		<p>Monolithic structure, no sharp corners, junctions and welds.</p>
	<p>Insulated with CFC and HCFC-free polyurethane foam.</p>	<p>°C</p>	<p>Container guaranteed for use: -30° to +85°C.</p>

TIPS FOR THE CORRECT TEMPERATURE MAINTENANCE


+70°C

Preheat accurately the ceramic dishes in use (70°C).

+75°C/ + 85°C













Make sure that the food is portioned at the correct temperature between 75°C and 85°C.

TECHNICAL SPECIFICATIONS



Model	Code	Colour	External dim. (mm)	Weight Kg
TS 60 with integral lid	TS610101	orange / grey	530x370x105h	2.5
TS 60 with integral lid	TS610103	blue / grey	530x370x105h	2.5
TS 60 with integral lid	TS610104	green / grey	530x370x105h	2.5
Locking kit	ANA003	stainless steel		
Locking kit with handle	PAFT9001	stainless steel		
12-trays trolley	3748A		480x610xh1800	20
24-trays trolley	3751A		870x610xh1800	32

MONOTHERM ACCESSORIES

Melamine set TS50		Porcelain set TS60	
	CODE: 5650 Dish ø 210 mm		CODE: ACE005 Dish with two compartments ø 260 h25 mm
	CODE: ADB006 Supporting lid ø 210 mm		CODE: ACE006 Dish with two compartments ø 255 h33 mm
	CODE: 5653 Bowl ø150 mm		CODE: ADB010 Lid with gasket ø260mm
	CODE: ADB043 Sealed lid ø 150 mm		CODE: ACE043 Bowl ø 120 mm
	CODE: 5652 Bowl ø 130 mm		CODE: ADB041 Sealed lid ø 120mm
	CODE: ADB042 Sealed lid ø 130mm		
	CODE: 5651 Bowl ø 105 mm		

По вопросам продаж и поддержки обращайтесь:

Алматы (727)345-47-04
Ангарск (3955)60-70-56
Архангельск (8182)63-90-72
Астрахань (8512)99-46-04
Барнаул (3852)73-04-60
Белгород (4722)40-23-64
Благовещенск (4162)22-76-07
Брянск (4832)59-03-52
Владивосток (423)249-28-31
Владикавказ (8672)28-90-48
Владимир (4922)49-43-18
Волгоград (844)278-03-48
Вологда (8172)26-41-59
Воронеж (473)204-51-73
Екатеринбург (343)384-55-89

Иваново (4932)77-34-06
Ижевск (3412)26-03-58
Иркутск (395)279-98-46
Казань (843)206-01-48
Калининград (4012)72-03-81
Калуга (4842)92-23-67
Кемерово (3842)65-04-62
Киров (8332)68-02-04
Коломна (4966)23-41-49
Кострома (4942)77-07-48
Краснодар (861)203-40-90
Красноярск (391)204-63-61
Курск (4712)77-13-04
Курган (3522)50-90-47
Липецк (4742)52-20-81

Магнитогорск (3519)55-03-13
Москва (495)268-04-70
Мурманск (8152)59-64-93
Набережные Челны (8552)20-53-41
Нижний Новгород (831)429-08-12
Новокузнецк (3843)20-46-81
Ноябрьск (3496)41-32-12
Новосибирск (383)227-86-73
Омск (3812)21-46-40
Орел (4862)44-53-42
Оренбург (3532)37-68-04
Пенза (8412)22-31-16
Петрозаводск (8142)55-98-37
Псков (8112)59-10-37
Пермь (342)205-81-47

Ростов-на-Дону (863)308-18-15
Рязань (4912)46-61-64
Самара (846)206-03-16
Санкт-Петербург (812)309-46-40
Саратов (845)249-38-78
Севастополь (8692)22-31-93
Саранск (8342)22-96-24
Симферополь (3652)67-13-56
Смоленск (4812)29-41-54
Сочи (862)225-72-31
Ставрополь (8652)20-65-13
Сургут (3462)77-98-35
Сыктывкар (8212)25-95-17
Тамбов (4752)50-40-97
Тверь (4822)63-31-35

Тольятти (8482)63-91-07
Томск (3822)98-41-53
Тула (4872)33-79-87
Тюмень (3452)66-21-18
Ульяновск (8422)24-23-59
Улан-Удэ (3012)59-97-51
Уфа (347)229-48-12
Хабаровск (4212)92-98-04
Чебоксары (8352)28-53-07
Челябинск (351)202-03-61
Череповец (8202)49-02-64
Чита (3022)38-34-83
Якутск (4112)23-90-97
Ярославль (4852)69-52-93

Россия +7(495)268-04-70

Казахстан +(727)345-47-04

Беларусь +(375)257-127-884

Узбекистан +998(71)205-18-59

Киргизия +996(312)96-26-47

эл.почта: mxo@nt-rt.ru || сайт: <https://melform.nt-rt.ru/>